



TEST REPORT

Page 1 of 3

REPORT NUMBER : TURT190015866
APPLICANT NAME : Polikur Plastik ve Sünger San. Tic. A.Ş.
ADDRESS : Atlas Caddesi Çamlıbel Sokak No: 6 Bağcılar İstanbul / TURKEY
TEL:0212 446 82 29 FAX:0212 446 81 11
Attention : Murat Ozkur (murat@polikur.com.tr)
SAMPLE DESCRIPTION : One sample of Yellow foam
DATE IN : 25 January ,2019 (09:49:00)
DATE OUT : 29 January ,2019

TEST	SAMPLE
Phthalate Content	P
Carcinogenous Dyestuff	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

Nildeniz PINAR
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



190015866

Test Method	Results	Requirements
-------------	---------	--------------

Phthalate Content

CPSC-CH-C1001-09.4 : 2018 Method by Gas Chromotography - Mass Spectrometry (GC-MS) Analysis

Test Method	Results	Requirements
Dibutyl phthalate (DBP)(84-74-2)	Not Detected	TOTAL 0.1% (1000 ppm)
Di(ethylhexyl) phthalate (DEHP)(117-81-7)	Not Detected	
Benzyl butyl phthalate (BBP)(85-68-7)	Not Detected	
Di-isononyl phthalate (DINP)(28553-12-0)	Not Detected	0.1% (1000 ppm)
Di-isobutyl phthalate (DIBP)(84-69-5)	Not Detected	TOTAL 0.1% (1000 ppm)
Di-n-pentyl phthalate (DPENP)(131-18-0)	Not Detected	
Di-n-hexyl phthalate (DHEXP)(84-75-3)	Not Detected	
Dicyclohexyl phthalate (DCHP)(84-61-7)	Not Detected	

ppm (part per million) =mg / kg
< =Less Than * =EXCEEDED LIMIT
Detection Limit : 60 ppm

Estimated Total Uncertainty=(Print %13,coated leather %9,coated fabric %12,rubber %12,rigid plastic %9,artificial leather panel %10, foam %10,glue %12,soft plastic %9)

Test Method	Results	Requirements
-------------	---------	--------------

Carcinogenous Dyestuff

IHTM AL.2.091 refer to DIN 54231:2005 By High Performance Liquid Chromatography & Mass Spectroscopy (LC-MS-MS) & HPLC-DAD Analysis

Acid Digestion and Followed by ICP/OES Determination for Pigment Red 104 and Pigment Yellow 34

	Result	Requirement*
BASIC BLUE 26 (with $\geq 0.1\%$ Michler's Keton or Michler's Base)	Not Detected	50 ppm for each
BASIC GREEN 4 (oxalate, chloride or free)	Not Detected	
BASIC VIOLET 3 (with $\geq 0.1\%$ Michler's Keton or Michler's Base)	Not Detected	
ACID RED 26	Not Detected	
BASIC RED 9	Not Detected	
BASIC VIOLET 14	Not Detected	
DIRECT BLACK 38	Not Detected	
DIRECT BLUE 6	Not Detected	
DIRECT RED 28	Not Detected	
DISPERSE BLUE 1	Not Detected	
DISPERSE ORANGE 11	Not Detected	
DISPERSE YELLOW 3	Not Detected	
PIGMENT RED 104	Not Detected	
PIGMENT YELLOW 34	Not Detected	
*Eco Testing Standard for Textiles		

ppm (part per million) =mg / kg
 Detection Limit =0.2 mg/L ; 3 ppm
 < =Less Than

Estimated Total Uncertainty=($\pm 8\%$)

END OF TEST REPORT