



Test
TS EN ISO/IEC 17025
AB-0716-T

AB-0716-T
TURT260055528
06-26

TESTING REPORT

Page 1 of 9

REPORT NUMBER : TURT260055528
APPLICANT NAME : LTS Tekstil San. Tic. Ltd. Şti.
ADDRESS : Atatürk Mahallesi Cemal Gürsel Cad 6/5
Tel:0532 776 39 49Esenyurt İstanbul / TURKEY
TEL:0212 875 68 93FAX:0212 875 68 97
Attention : İbrahim Aksay (ibrahim@sevibebe.com.tr)
SAMPLE DESCRIPTION :
Sample 1 Three samples of Pink Baby Shower Cap
Sample 2 Three samples of Blue Baby Shower Cap
SAMPLE RECEIPT DATE: 8 May ,2026
DATE OF ISSUE: 1 June ,2026
MODEL NO : ART.111-BYP.7189-BYP.7233

Melis Evci
Customer Care Executive

Emre ÇALIK
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altındag Plaza Yenibosna-34197 /İSTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
http://www.intertek-turkey.com



260055528

TESTING REPORT

Page 2 of 9

REPORT NUMBER: TURT260055528

DATE OF ISSUE :1 June ,2026

TEST	SAMPLE	
	1	2
Determination of Hexachlorobenzene Content	P	P
Determination of Organotin Compounds	P	P
Determination of Pentachlorobenzene Content	P	P
Determination of Phthalates Microwave or soxhlet extraction	P	P
Determination of Polychlorophenol Content - KOH Method	P	P
Determination of Short-Chain Chlorinated Paraffins (SCCP)	P	P

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory. Intertek accredited by TÜRKAK under registration number [AB-0716-T] for [TS EN ISO IEC 17025:2017] as test laboratory. Turkish Accreditation Agency (TÜRKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports. The test and/or measurement results, the uncertainties (if applicable) with confidence probability and test methods are given on the following pages which are part of this report. The authorization to use the accreditation mark obtained by Intertek from the Turkish Accreditation Agency (TÜRKAK), as included in this report, belongs solely to Intertek. It may not be used for a different purpose by the customer, supplier, or any third party.

Test Method	Results	Requirements
-------------	---------	--------------

Determination of Hexachlorobenzene Content
BS EN 17137:2025 (Using GC-MS)

Sample: 1&2 Pink textile main (Sample 1), Blue textile main (Sample 2)	RESULT	REQUIREMENT
Hexachlorobenzene	Not Detected	50 ppm

ppm (part per million) = mg / kg
Detection Limit = 0.1 ppm
< = Less Than

Estimated Total Uncertainty=(±12%)

RESULTS

REPORT NUMBER :TURT260055528

Page 4 of 9

DATE OF ISSUE :1 June ,2026

Test Method	Results	Requirements
-------------	---------	--------------

Determination of Organotin Compounds

ISO 22744-1:2020 (Using GC-MS)

Sample: 1&2 Pink plastic sponge (Sample 1), White plastic snap (Sample 1), Blue plastic sponge (Sample 2)	RESULTS (%w/w) of tin	REQUIREMENT (%w/w) of tin
Tri-substituted organotin*	Not Detected	0.1
Dibutyltin (DBT)	Not Detected	0.1
Dioctyltin (DOT)	Not Detected	0.1
Sample: 1&2 Pink textile main (Sample 1), Blue textile main (Sample 2)	RESULTS (%w/w) of tin	REQUIREMENT (%w/w) of tin
Tri-substituted organotin*	Not Detected	0.1
Dibutyltin (DBT)	Not Detected	0.1
Dioctyltin (DOT)	Not Detected	0.1
Sample: 2 White plastic snap	RESULTS (%w/w) of tin	REQUIREMENT (%w/w) of tin
Tri-substituted organotin*	Not Detected	0.1
Dibutyltin (DBT)	Not Detected	0.1
Dioctyltin (DOT)	Not Detected	0.1

ppm (part per million) =mg / kg
Detection Limit =0.02 ppm
< =Less Than

Estimated Total Uncertainty=(±11%)

RESULTS

REPORT NUMBER :TURT260055528

Page 5 of 9

DATE OF ISSUE :1 June ,2026

Test Method	Results	Requirements
-------------	---------	--------------

Determination of Pentachlorobenzene Content

DIN EN 17137 determined by GC-MS Analysis

Sample: 1&2 Pink textile main (Sample 1), Blue textile main (Sample 2)	RESULT	REQUIREMENT
Pentachlorobenzene	Not Detected	50 ppm#

#Remark: REGULATION (EU) 2019/1021 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on persistent organic pollutants

ppm (part per million) = mg / kg
Detection Limit = 0.1 ppm
< = Less Than

Estimated Total Uncertainty=(±12%)

Determination of Phthalates Microwave or soxhlet extraction

In-House Method – "IHTM AL.2.026 Rev.15" (Based on EN 14372 Part 6.3.2) (Using GC-MS)

Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis

Sample: 1&2 Pink plastic sponge (Sample 1), Blue plastic sponge (Sample 2)	CAS NO	RESULT	REQUIREMENT
Dibutyl Phthalate (DBP)	84-74-2	Not Detected	
Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	Not Detected	
Benzyl butyl phthalate (BBP)	85-68-7	Not Detected	
Diisobutyl phthalate (DIBP)	84-69-5	Not Detected	
Sum of four phthalate		Not Detected	TOTAL 0,1% (1000 ppm)
Di-iso-nonyl phthalate (DINP)	28553-12-0	Not Detected	
Di-n-octyl phthalate (DNOP)	117-84-0	Not Detected	
Diisodecyl phthalate (DIDP)	26761-40-0	Not Detected	
Sum of three phthalate		Not Detected	TOTAL 0,1% (1000 ppm)

REMARK =The Limit of 0.1% by weight was quoted according to Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content

ppm (part per million) =mg / kg
< =Less Than
Detection Limit =DINP, DIDP : 100 ppm, Other Phthalates : 10 ppm

Estimated Total Uncertainty=(MW Toys: ±11%, MW Packaging Material: ±10%, MW Coated Textile: ±10%)

RESULTS

REPORT NUMBER :TURT260055528

Page 6 of 9

DATE OF ISSUE :1 June ,2026

Test Method	Results	Requirements
-------------	---------	--------------

Determination of Phthalates Microwave or soxhlet extraction

In-House Method – "IHTM AL.2.026 Rev.15" (Based on EN 14372 Part 6.3.2) (Using GC-MS)

Method By Gas Chromatographic- Mass Spectrometric (GC- MS) Analysis

Sample: 1&2 White plastic snap (Sample 1), White plastic snap (Sample 2)	CAS NO	RESULT	REQUIREMENT
Dibutyl Phthalate (DBP)	84-74-2	Not Detected	
Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	Not Detected	
Benzyl butyl phthalate (BBP)	85-68-7	Not Detected	
Diisobutyl phthalate (DIBP)	84-69-5	Not Detected	
Sum of four phthalate		Not Detected	TOTAL 0,1% (1000 ppm)
Di-iso-nonyl phthalate (DINP)	28553-12-0	Not Detected	
Di-n-octyl phthalate (DNOP)	117-84-0	Not Detected	
Diisodecyl phthalate (DIDP)	26761-40-0	Not Detected	
Sum of three phthalate		Not Detected	TOTAL 0,1% (1000 ppm)

REMARK =The Limit of 0.1% by weight was quoted according to Annex XVII Items 51&52 of the REACH Regulation (EC) No.1907/2006 (Formerly known as Directive 2005/84/EC) for Phthalate Content

ppm (part per million) =mg / kg
< =Less Than
Detection Limit =DINP, DIDP : 100 ppm, Other Phthalates : 10 ppm

Estimated Total Uncertainty=(MW Toys: ±11%, MW Packaging Material: ±10%, MW Coated Textile: ±10%)

RESULTS

REPORT NUMBER :TURT260055528

Page 7 of 9

DATE OF ISSUE :1 June ,2026

Test Method	Results	Requirements
-------------	---------	--------------

Determination of Polychlorophenol Content - KOH Method

In-House Method – “IHTM AL.2.411 Rev.5” (based on BS EN 17134-2:2023)(Using GC-MS)

--	--

Sample: 1&2 Pink plastic sponge (Sample 1), White plastic snap (Sample 1), Blue plastic sponge (Sample 2)	Result	Requirement
Pentachlorophenol (PCP)	Not Detected	5 ppm

ppm (part per million) = mg/kg

Detection Limit = 0.05 ppm

Estimated Total Uncertainty=(Textile: $\pm 30\%$, Leather: $\pm 30\%$, Textile Confirmation: $\pm 33\%$, Leather Confirmation: $\pm 31\%$)

Determination of Short-Chain Chlorinated Paraffins (SCCP)

In-House Method – “IHTM AL.2.038 Rev.5” (Based on ISO 22818)(Using LC-MS-MS,GC-ECNI-MS)

Sample: 1&2 Pink plastic sponge (Sample 1), Blue plastic sponge (Sample 2)	Not Detected	1500 ppm#
Sample: 1&2 White plastic snap (Sample 1), White plastic snap (Sample 2)	Not Detected	1500 ppm#
Sample: 1&2 Pink textile main (Sample 1), Blue textile main (Sample 2)	Not Detected	1500 ppm#

#Remark: REGULATION (EU) 2019/1021 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on persistent organic pollutants

< = less than

ppm: parts per million (mg/kg)

Detection Limit : 6 ppm

Estimated Total Uncertainty=(GC-ECNI-MS for Textile & Plastic : $\pm 27\%$)

RESULTS

REPORT NUMBER :TURT260055528

Page 8 of 9
DATE OF ISSUE :1 June ,2026

Test Method	Results	Requirements
-------------	---------	--------------

RESULTS

REPORT NUMBER :TURT260055528

Page 9 of 9

1 June ,2026

Sample 1



Sample 2



END OF TEST REPORT